

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.02.2023

Version number 403 (replaces version 402)

Revision: 09.02.2023

**\* SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier** 600027
- **Trade name:** Special compressed air oil E-COLL
- **Article number:** 4317784015509, 4317784348881
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use**  
SU21 Consumer uses: Private households / general public / consumers  
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Application of the substance / the mixture** Lubricant
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH  
EDE Platz 1  
D-42389 Wuppertal  
Germany  
  
Tel. +49 202 6096-0  
e-mail: sdb@ede.de
- **Further information obtainable from:** Product safety department
- **1.4 Emergency telephone number:** Giftinformationszentrum Mainz – Tel.: +49 (6131) 19240

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.02.2023

Version number 403 (replaces version 402)

Revision: 09.02.2023

**Trade name: Special compressed air oil E-COLL**

(Contd. of page 1)

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-211948627-25-xxxx	Distillates (petroleum), hydrotreated heavy paraffinic ☠ Asp. Tox. 1, H304 Specific concentration limit: Asp. Tox. 1; H304: C ≥ 5 %	50-100%
---	---	---------

**Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**Keine besonderen Maßnahmen erforderlich.  
Personal protection for the First Aider.**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:** Immediately wash with water and soap and rinse thoroughly.**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** Seek immediate medical advice.**4.2 Most important symptoms and effects, both acute and delayed** Gastric or intestinal disorders**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:**Foam  
Fire-extinguishing powder  
Carbon dioxide**For safety reasons unsuitable extinguishing agents:** Water with full jet**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.02.2023

Version number 403 (replaces version 402)

Revision: 09.02.2023

**Trade name: Special compressed air oil E-COLL**

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Avoid the formation of oil haze.  
Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Provide solvent resistant, sealed floor.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**  
Protect from frost.  
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

— EU —  
(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.02.2023

Version number 403 (replaces version 402)

Revision: 09.02.2023

**Trade name: Special compressed air oil E-COLL**

(Contd. of page 3)

**SECTION 8: Exposure controls/personal protection****· 8.1 Control parameters****· Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**· DNELs****CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic**

Inhalative	DNEL (worker)	5.6 mg/m <sup>3</sup> (professional use)
	DNEL (population)	1.2 mg/m <sup>3</sup> (cus)

· **Additional information:** The lists valid during the making were used as basis.

**· 8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

**· General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.  
Avoid close or long term contact with the skin.  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.

· **Respiratory protection:** Not necessary if room is well-ventilated.

**· Hand protection**

Protective gloves

**· Material of gloves**

PVC gloves  
Recommended thickness of the material:  $\geq 0.7$  mm

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection** Recommendation: safety glasses with side protection shield

· **Body protection:** Protective work clothing

**SECTION 9: Physical and chemical properties****· 9.1 Information on basic physical and chemical properties****· General Information**

· **Colour:** Light yellow

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.02.2023

Version number 403 (replaces version 402)

Revision: 09.02.2023

**Trade name: Special compressed air oil E-COLL**

(Contd. of page 4)

· <b>Odour:</b>	Product specific
· <b>Odour threshold:</b>	Not determined.
· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Boiling point or initial boiling point and boiling range</b>	>250 °C
· <b>Flammability</b>	Not applicable.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	0.9 Vol %
· <b>Upper:</b>	7 Vol %
· <b>Flash point:</b>	>190 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Kinematic viscosity at 40 °C</b>	22 mm <sup>2</sup> /s
· <b>Kinematic: 23 °C - 4 mm (ISO 2431)</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure at 20 °C:</b>	0.1 hPa
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	0.86 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>9.2 Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Auto-ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Change in condition</b>	
· <b>Softening point/range</b>	
· <b>Oxidising properties</b>	The product is not oxidizing. Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.02.2023

Version number 403 (replaces version 402)

Revision: 09.02.2023

**Trade name: Special compressed air oil E-COLL**

(Contd. of page 5)

- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

**CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic**

Oral	LD50	>2,000 mg/kg (rat) (OCED 401)
Dermal	LD50	>2,000 mg/kg (rabbit) (OCED 402)
	NOEC(14d)	≥1,000 mg/l (Fis)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.02.2023

Version number 403 (replaces version 402)

Revision: 09.02.2023

**Trade name: Special compressed air oil E-COLL**

(Contd. of page 6)

**· 11.2 Information on other hazards****· Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information****· 12.1 Toxicity****· Aquatic toxicity:****CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic**

LC50 (96h) &gt;100 mg/L (Pimephales promelas) (OCED 203)

EC50 (48h) &gt;10,000 mg/L (Daphnia magna) (OECD 202)

**· 12.2 Persistence and degradability** No further relevant information available.**· 12.3 Bioaccumulative potential** No further relevant information available.**· 12.4 Mobility in soil** No further relevant information available.**· 12.5 Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**· 12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.**· 12.7 Other adverse effects****· Additional ecological information:****· General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations****· 13.1 Waste treatment methods:**

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

**· European waste catalogue**

13 02 05\* mineral-based non-chlorinated engine, gear and lubricating oils

**SECTION 14: Transport information****· 14.1 UN number or ID number****· ADR, ADN, IMDG, IATA** Void**· 14.2 UN proper shipping name****· ADR, ADN, IMDG, IATA** Void

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.02.2023

Version number 403 (replaces version 402)

Revision: 09.02.2023

**Trade name: Special compressed air oil E-COLL**

(Contd. of page 7)

**· 14.3 Transport hazard class(es)****· ADR, ADN, IMDG, IATA****· Class** Void**· 14.4 Packing group****· ADR, IMDG, IATA** Void**· 14.5 Environmental hazards:****· Marine pollutant:** No**· 14.6 Special precautions for user**

Not applicable.

**· 14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**· UN "Model Regulation":**

Void

**SECTION 15: Regulatory information****· 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**· Labelling according to Regulation (EC) No 1272/2008** Void**· Hazard pictograms** Void**· Signal word** Void**· Hazard statements** Void**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Relevant phrases**

H304 May be fatal if swallowed and enters airways.

**· Department issuing SDS:** Product safety department**· Contact:** Head of Product Safety Department**· Date of previous version:** 09.02.2023**· Version number of previous version:** 402**· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Asp. Tox. 1: Aspiration hazard – Category 1

**· \* Data compared to the previous version altered.**